

UNITED ATF MULTI

Product Description

Fully Synthetic Automatic Transmission fluid formulated with premium synthetic base stocks and advanced additive technology to deliver outstanding performance for the demanding requirements of passenger car automatic gearboxes. This product meets a wide range of automatic transmissions specification, providing reliable service across North American, European, and Asian vehicles, particularly in 4-, 5- and 6-speed transmissions.

It is suggested for use in GM vehicles requiring DII, DIII(G), and DIII(H) specifications, it also suitable for use in the Hyundai SP-IV, BMW LT71141, and Allison C-4 standards, as well as transmissions specifying Mitsubishi DiaQueen series.

Applications / Benefits

- * Ensures superior oxidation and thermal stability for longer life
- * Better wear protection for critical transmission component
- * Outstanding viscosity stability (high VI)
- * Excellent anti-shudder performance and friction control

Typical Characteristics

Test Description	Method	Unit	
Density @ 15 °C	ASTM D 4052	kg/L	0.842
Flash Point	ASTM D 92	°C	218
Pour Point	ASTM D 97	°C	-45
Kinematic Viscosity @ 40°C	ASTM D 445	cSt	31.3
Kinematic Viscosity @ 100°C	ASTM D 445	cSt	7.1
Viscosity Index	ASTM D 2270	-	199
Appearance	Visual	-	Red

Suggested for the following Uses

* ACURA	ATF-Z1
* AISIN WARNER	JWS 3309 (T-IV), AW1
* AISIN WARNER	JWS 3324 (WS)
* AISIN WARNER	AW-1
* ALLISON	TES 389B
* ALLISON	C-3
* ALLISON	C-4
* AMERICAN MOTORS	ATF +3 (MS7176-E)
* ATF	RED 1, RED 1K
* ATF	3309
* ATF	3324
* AUDI	5 HP LT71141 (ZF 5 HP 18FL)
* AUDI	5 HP LT71141 (ZF 5 HP 19FL)
* AUDI	5 HP LT71141 (ZF 5 HP 124A)
* AUDI	G 052 025-A2
* AUDI	G 052 162-A1 (ZF LIFEGUARDFLUID 5)
* AUDI	G 052 162-A2 (ZF LIFEGUARDFLUID 5)
* AUDI	G 055 025 A2 (JWS 3309)
* AUDI/VW	G 053 025-A2
* AUDI/VW	052 055
* AUDI/VW	G 052 990
* BMW	JWS 3309 (T-IV)
* BMW	LA2634
* BMW	LT71141 (ZF 5 HP 18FL)
* BMW	LT71141 (ZF 5 HP 19FL)
* BMW	LT71141 (ZF 5 HP 24A)
* BMW	ZF 5HP18FL
* BMW	ZF 5HP24
* BMW	ZF 5HP30
* BMW	7045E
* BMW	ETL-8072B
* BMW	MINI
* BMW	MINI 83 22 0 402 4132
* BOSCH	TE-ML 09
* CAT	TO-2
* CHRYSLER	ATF+
* CHRYSLER	ATF +2
* CHRYSLER	ATF +3 (MS 7176E)
* CHRYSLER/DODGE	MOPAR AS 68 RC (T-IV), JWS 3309
* CHRYSLER/DODGE/JEEP	05127382AA
* DAEWOO	LT 71141
* DAIHATSU	AMMIX ATF D-II

Suggested for the Following Uses

* DAIHATSU	AMMIX ATF D-III SP
* DAIHATSU	AMMIX FRIEND D-III
* DTFR	13C110
* ESSO	LT 71141
* FCA	JWS 3309 (T-IV)
* FIAT	T-IV TYPE, JWS 3309
* FORD	MER
* FORD	FNR5
* FORD	WSS M2C 138CJ, 166H
* FORD	WSS M2C 922A1
* FORD	WSS M2C 924A (XT-8-QAW) JWS 3309
* FORD	XT-2-QDX (M)
* FORD	XT-2-QSM (SYN)
* FORD	ESP-M2C166H, XL-12
* FUSO	ATF-II
* FUSO	ATF-SP III
* FUSO	ATF-A4
* GM	9986195 AISIN AW, JWS 3309
* GM	TASA
* GM	DEXRON-II
* GM	DEXRON-IID
* GM	DEXRON-IIE
* GM	DEXRON-IIIG
* GM	DEXRON-IIIH
* GM	1940700
* GM	1940767
* GM	21005966
* GM	22717466
* GM	88900925
* GM	93160393
* GM/GMC/OPEL/SATURN	AW1
* GM/GMC/OPEL/SATURN	88863400
* GM/GMC/OPEL/SATURN	88863401
* HINO	BLUE RIBON ATF
* HONDA	ATF-Z1 (EXCEPT IN CVTS)
* HONDA/ACURA	ATF ULTRA II
* HONDA/ACURA	ATF DW-1
* HYUNDAI	SP-II M
* HYUNDAI/KIA	SP-II
* HYUNDAI/KIA	SP-III
* HYUNDAI/KIA	SP-IV
* HYUNDAI/KIA	SP-IV M
* HYUNDAI/KIA	SP-IV M1

Suggested for the Following Uses

* HYUNDAI/KIA	DEX-II
* HYUNDAI/KIA	JWS 3314
* HYUNDAI/KIA	NWS 9638
* HYUNDAI/KIA	040000C90SG
* HYUNDAI/KIA	P/N UM040 CH20 Red-1
* IDEMITSU	K17 3100 PL085
* ISUZU	BESCO ATF-II
* ISUZU	BESCO ATF-III
* ISUZU	ATF SP
* ISUZU	ATF SCS
* JAGUAR	ATF 3403 M115
* JAGUAR	ATF LT71141
* JAGUAR	ZF 5HP24
* JAGUAR	ATF 3403 JLM20238
* JAGUAR	JLM 20292
* JASO	M315-2013 1A
* JASO	M315-2013 2A
* JEEP	ATF+3
* JWS	3317
* KIA	ATF SP-II
* KIA	ATF SP-III
* LEXUS	JWS 3309
* MAN	339A
* MAN	339 TYPE L1
* MAN	339 TYPE L2
* MAZDA	ATF D-II
* MAZDA	ATF M-III
* MAZDA	ATF M-V
* MAZDA	ATF FZ
* MAZDA	ATF F-1
* MAZDA	ATF S-1
* MAZDA	ATF N-1
* MAZDA	ATF 3317
* MB	ZF 4HP20
* MB	236.11
* MB	236.10
* MINI COOPER	T-IV
* MINI COOPER	ATF JWS 3309, P/N 83 22 0 402 413
* MITSUBISHI	DIAQUEEN SK
* MITSUBISHI	DIAQUEEN SP
* MITSUBISHI	DIAQUEEN SP-II
* MITSUBISHI	DIAQUEEN SP-III
* MITSUBISHI	DIAQUEEN AW

Suggested for the Following Uses

* MITSUBISHI	DIAQUEEN J2
* MITSUBISHI	DIAQUEEN J3
* MITSUBISHI	DIAQUEEN ATF PA
* MITSUBISHI	FUSO ATFA-4
* NAG	1 (CHRYSLER, JEEP, CHEROKEE)
* NISSAN	MATIC FLUID C
* NISSAN	MATIC FLUID D
* NISSAN	MATIC FLUID J
* NISSAN	MATIC FLUID K
* NISSAN	MATIC FLUID N4
* NISSAN	MATIC S
* OPEL/GM	19 40 700
* OPEL/GM	19 40 707
* OPEL/GM	19 40 767
* OPEL/GM	21005966 TRANSAXLE
* OPEL/GM	22 17466
* OPEL/GM	88900925
* OPEL/GM	9986195
* PEUGEOT/CITROEN	Z 000169756
* PEUGEOT/CITROEN	(PSA) AL4 AUTOMATIC GEARBOX OIL (#9730.AE)
* PORSCHE	ZF 5HP19FL
* PORSCHE	ZF 5HP20
* PORSCHE	LT71141
* PORSCHE	ATF 3403-M115
* PORSCHE	T-IV (JWS 3309)
* PORSCHE	000 043 205 09
* PORSCHE	999 917 547 00 (A2)
* PORSCHE	000 043 205 28
* PORSCHE	Z 000169756
* PSA	SFU
* PSA	B71 2340
* RENAULT	DPO
* RENAULT	AL4
* RENAULT	MATIC D2
* RENAULT	SAMSUNG SATF-D
* SAAB	T-IV (JWS 3309)
* SAAB	93 165 147
* SAAB	93 160 393
* SATURN	T-IV (JWS 3309)
* SCION	(ALL VEHICLES)
* SHELL	3403
* SHELL	M115

Suggested for the Following Uses

* SHELL	LA 2634
* SUBARU	ATF
* SUBARU	ATF 5AT
* SUBARU	K0140Y0700
* SUBARU	DEXRON®-II
* SUBARU	ATF, ATF HP
* SUZUKI	AT OIL 5D06
* SUZUKI	ATF 2326
* SUZUKI	ATF 2384K
* SUZUKI	JWS 3309
* SUZUKI	ATF 3314
* SUZUKI	ATF 3317
* TEXACO	7045-E
* TEXACO	8072B
* TEXACO	N402
* TOYOTA	ATF D-II
* TOYOTA	ATF D-III
* TOYOTA	ATF T
* TOYOTA	ATF T-II
* TOYOTA	ATF T-III
* TOYOTA	ATF T-IV
* TOYOTA	ATF WS
* TOYOTA	ATF FZ
* VICKERS	M2950-S
* VICKERS	I-286-S
* VOLVO	PN 1161521
* VOLVO	97325
* VOLVO	97335
* VOLVO	CE 97340
* VOLVO	PN 1161540
* VOLVO	PN 1161640
* VW	5HP 19FL
* VW	5HP 24A
* VW	G 052 055
* VW	G-052 025 A2
* VW	G-055-025 A2 (JWS 3309)
* VW	G-052 162 (ZF LIFEGUARDFLUID 5)
* VW	G US 000 162
* VW	TL 52540-A
* VW/AUDI	5HP (ZF 5 HP 30)
* ZF	ALL 3 & 4 SPEED TRANSMISSION
* ZF	TE-ML 04D
* ZF	TE-ML 05L

Suggested for the Following Uses

* ZF	TE-ML 09
* ZF	TE-ML 11A
* ZF	TE-ML 11B
* ZF	TE-ML 14B
* ZF	TE-ML 17C
* ZF	TE-ML 21L

Reference No.
4807G3HIGHVIREV2

Last revised date:
11/27/2025